Bob Kildee Community Park
1605 E. Burnely St.
Camarillo, CA 93010

Play & Park Structures

This play equipment is recommended for children ages:
2-5 & 5-12

Minimum Area Required:
Per Drawing

Scale: 1/16" = 1'-0"
This drawing can be scaled only when in an 11" x 17" format


Drawn By:
Cassie Pruitt
Date:
8/3/26
Quote Number:
821-184862A

play&park structures
A PLAYCORE Company
544 Chestnut Street
Chattanooga, TN 37402
800-727-1907 / www.playandpark.com

User Capacity
190-200
Critical Fall Height
8'-0"

ISO 9001 CERTIFIED

SUPERmax PLAY SYSTEMS
FREE NOTES
HARMONY PARK™



Top View drawings and measurements are for overall site and structure appearance purposes. Top view should not be conceived as a construction detail; therefore, all measurements and slope requirements should be field verified prior to construction.
IMPORTANT: Never install play equipment over hard, unresilient surfaces such as asphalt, concrete, or compacted earth. It is the owner's responsibility to ensure the "minimum area required" contains an appropriate amount of resilient material to cushion accidental falls.

Bob Kildee Community Park
1605 E. Burnely St.
Camarillo, CA 93010

Play & Park Structures

This play equipment is recommended for children ages:
2-5 & 5-12

Minimum Area Required:
Per Drawing

Scale: 1/16" = 1'-0"
This drawing can be scaled only when in an 11" x 17" format


Drawn By:
Cassie Pruitt
Date:
8/3/26
Quote Number:
821-184862A

play&park structures
A PLAYCORE Company
544 Chestnut Street
Chattanooga, TN 37402
800-727-1907 / www.playandpark.com

User Capacity
190-200
Critical Fall Height
8'-0"

ISO 9001 CERTIFIED

SUPERmax PLAY SYSTEMS
FREE NOTES
HARMONY PARK™



Top View drawings and measurements are for overall site and structure appearance purposes. Top view should not be conceived as a construction detail; therefore, all measurements and slope requirements should be field verified prior to construction.
IMPORTANT: Never install play equipment over hard, unresilient surfaces such as asphalt, concrete, or compacted earth. It is the owner's responsibility to ensure the "minimum area required" contains an appropriate amount of resilient material to cushion accidental falls.

Bob Kildee Community Park
1605 E. Burnely St.
Camarillo, CA 93010

Play & Park Structures

This play equipment is recommended for children ages:
2-5 & 5-12

Minimum Area Required:
Per Drawing

Scale: 1/16" = 1'-0"
This drawing can be scaled only when in an 11" x 17" format


Drawn By:
Cassie Pruitt
Date:
8/3/26
Quote Number:
821-184862A

play&park structures
A PLAYCORE Company
544 Chestnut Street
Chattanooga, TN 37402
800-727-1907 / www.playandpark.com

User Capacity
190-200
Critical Fall Height
8'-0"

ISO 9001 CERTIFIED

SUPERmax PLAY SYSTEMS
FREE NOTES
HARMONY PARK™



Top View drawings and measurements are for overall site and structure appearance purposes. Top view should not be conceived as a construction detail; therefore, all measurements and slope requirements should be field verified prior to construction.
IMPORTANT: Never install play equipment over hard, unresilient surfaces such as asphalt, concrete, or compacted earth. It is the owner's responsibility to ensure the "minimum area required" contains an appropriate amount of resilient material to cushion accidental falls.

Bob Kildee Community Park
1605 E. Burnely St.
Camarillo, CA 93010

Play & Park Structures

This play equipment is recommended for children ages:
2-5 & 5-12

Minimum Area Required:
Per Drawing

Scale: 1/16" = 1'-0"
This drawing can be scaled only when in an 11" x 17" format


Drawn By:
Cassie Pruitt
Date:
8/3/26
Quote Number:
821-184862A

play&park structures
A PLAYCORE Company
544 Chestnut Street
Chattanooga, TN 37402
800-727-1907 / www.playandpark.com

User Capacity
190-200
Critical Fall Height
8'-0"

ISO 9001 CERTIFIED

SUPERmax PLAY SYSTEMS
FREE NOTES
HARMONY PARK™



Top View drawings and measurements are for overall site and structure appearance purposes. Top view should not be conceived as a construction detail; therefore, all measurements and slope requirements should be field verified prior to construction.
IMPORTANT: Never install play equipment over hard, unresilient surfaces such as asphalt, concrete, or compacted earth. It is the owner's responsibility to ensure the "minimum area required" contains an appropriate amount of resilient material to cushion accidental falls.